

Metal Brite or Rust Stripper

Written by PT. Chemical Mandiri Jaya

Saturday, 03 October 2009 23:48 - Last Updated Saturday, 17 October 2009 09:49

BUSOL RUST STRIPPER/METAL BRITE

Acid Cleaning Agent for the Cleaning of Alumunium, Copper and other Metals

INTRODUCTION

BUSOL RUST STRIPPER is an acid cleaning agent based on phosphoric acid and non ionic surface active agents. It is suitable

for the cleaning and brightening alumunium. It removes cooper oxides, rust stains on painted surfaces and it bleaches wood.

BUSOL RUST STRIPPER is safe to use on most common metals and painted surfaces.

AREAS OF APPLICATION

-□□□ Immersions Baths

BUSOL RUST STRIPPER is generally applied undiluted in immersion baths for the cleaning of alumunium components.

-□□□ Spraying

BUSOL RUST STRIPPER is sprayed undiluted on the components to be cleaned.

-□□□ Tanks

BUSOL RUST STRIPPER is used for tank cleaning after the water rinse for the removal of white lime deposits.

-□□□ General Maintenance

BUSOL RUST STRIPPER is used for the cleaning of ships wooden decks and for the removal of rust stains on

Metal Brite or Rust Stripper

Written by PT. Chemical Mandiri Jaya

Saturday, 03 October 2009 23:48 - Last Updated Saturday, 17 October 2009 09:49

DIRECTION FOR USE

- Cleaning in Immersion Baths Made of Plastic or Stainless Steel

BUSOL RUST STRIPPER diluted for the cleaning of aluminium components. Introduce the component in the bath for 10-20 minutes, finally immerse the surface with a clean cloth.

- Spraying Method

Preferably use BUSOL RUST STRIPPER for 10-20 minutes, finally immerse the surface with a clean cloth.

- Cleaning of Tanks

Inject 0,5 liter BUSOL RUST STRIPPER wash water (1:85) into the tank washing system, wash the tank with water.

- General Maintenance

For the cleaning of wood, stone, metal, and other surfaces, dilute with water (1:100). For the cleaning of metal, dilute with water (1:100).

PROPERTIES

- Colorless liquid, contains phosphoric acid.
- Non-flammable and completely miscible with water.
- Safe to use on most common metals and painted surfaces.

Specific gravity (at 20°C)

Flashpoint c.c.

pH (1% solutions)

IMCO class

UN nr.

IMDG code

Table nr. 1.21

: none

: 2.0

Metal Brite or Rust Stripper

Written by PT. Chemical Mandiri Jaya

Saturday, 03 October 2009 23:48 - Last Updated Saturday, 17 October 2009 09:49

: 8
: 1805
: 8115-2
: T710

